PET

💋 Postman File Edit V	iew Help			x
Home	Workspaces ~ Reports	Explore	ର୍ Search Postman 🦂 ନ୍ Invite 🗞 ଦ୍ରି 🗘 🧔 Upgrade	~
ို My Wo	rkspace	New Import	Overview POST POST • GET GET pe • PUT Edit pe DEL DELET + ••• No Environment ~	0
Collections	+ = v swagger	000	swagger / POST pet by ID	
80	POST POST pet by ID		POST v https://petstore.swagger.io/v2/pet Send v	Ē
APIs	GET GET pet by ID DEL DELETE pet by ID PUT Edit pet by ID		pope form-data x-www-form-urlencoded raw binary GraphOl ISON x	>
Mock Servers Monitors Monitors History			<pre>1 { 2 ''id": 3233, 3 ''category": { 4 ''id": 0, 5 ''name": "dog" 6 '}, 7 ''name": "Moran", 8 ''photoUrls": [ 9 ''string" 10 ''</pre>	
			Body Cookies Headers (8) Test Results   Pretty Raw Preview Visualize   JSON Image: 100 minimum   1 Image: 100 minimum   2 "id": 3233,   3 "category": 1/2   4 Image: 100 minimum   5 Image: 100 minimum   6 3,   7 "name": "Moran",   8 "photoUrls": [   9 Image: 100 minimum	

🗉 🔍 Find and Replace 🗔 Console

😌 Bootcamp 🗈 Runner 🔟 Trash 💀 📀

Home V	Norkspaces ~ Reports	s Explore	୍ Search Postman 🌏 ନ୍ Invite 🗞 ର୍ଭି ର୍ 🧔 Upgrade
ዲ My Works	расе	New Import	Overview POST POST • CET GET pe • PUT Edit pe DEL DELET + ••• No Environment ~
llections	+ = v swagger	000	swagger / GET pet by ID
oo APIs	POST POST pet by ID		GET v https://petstore.swagger.io/v2/pet/3233
	GET GET pet by ID		Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies
C.	DEL DELETE pet by ID		🔵 none 🔘 form-data 🌑 x-www-form-urlencoded 💿 raw 🌑 binary 🜑 GraphQL 🛛 Text 🗸
tk Servers			
™ onitors			
M onitors			Body Cookies Headers (8) Test Results       200 OK 1886 ms 458 B Save Response ~
Monitors 4 History			Body Cookies Headers (8) Test Results Pretty Raw Preview Visualize JSON ~ =>

🗉 🔍 Find and Replace 🕟 Console

😌 Bootcamp 🗈 Runner 🗓 Trash 💀 📀

Postman e Edit Vie	iew Help		
Home	Workspaces V Repor	rts Explore	् Search Postman 🌏 है। Invite 🗞 🔅 🗘 🚫 Upgrade
S My Wor	kspace	New Import	Overview POST POST • GET GET pe • PUT Edit pe • DEL DELET + ••• No Environment ~
Dilections	+ =	000	swagger / Edit pet by ID
0 00 APIs	<ul> <li>swagger</li> <li>POST POST pet by ID</li> </ul>		PUT ~ https://petstore.swagger.io/v2/pet/ Send ~
0	GET GET pet by ID DEL DELETE pet by ID		Params Authorization Headers (10) Body  Pre-request Script Tests Settings Cookies
onments	PUT Edit pet by ID		● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON ∨ Beautify
Conitors			<pre>1 [ 2 · "id":·3233, 3 · "category":·[ 4 · · · "id":·0, 5 · · · "name":·"dog" 6 · ·}, 7 · · "name":·"Lankarsa", 8 · · "photoUrls":·[ 9 · · · "string"</pre>
			Body Cookies Headers (8) Test Results
			Pretty Raw Preview Visualize JSON ~ =>
			<pre>2 "id": 3233, 3 "category": { 4 "id": 0, 5 "name": "dog" 6 }, 7 "name": "Lankarsa", 8 "photoUrls": [ 9 "string"</pre>

🗉 🔍 Find and Replace 🕟 Console

😌 Bootcamp 🗈 Runner 🗓 Trash 💀 📀

lome	Workspaces ~ Report	s Explore	9	Search Postman	4	ို Invite တိ ဩ ပို	û 🧿 Upgrade
My Works	space	New Import	Overview POST POST •	GET GET pe • PUT Edit pe •	DEL DELET •	+ ••• No Enviro	nment v
llections	+ =	000	swagger / DELETE pet by ID			🖺 Save 🗸	•••
0 00 APIs	<ul> <li>swagger</li> <li>POST POST pet by ID</li> </ul>		DELETE ~ https://petstore.s	swagger.io/v2/pet/3233			Send ~
	GET GET pet by ID		Params Authorization Headers		Tests Settings		Cookies
ronments	PUT Edit pet by ID		User-Agent (1)	PostmanRuntime/7.2	6.10		
C Servers			Accept-Encoding ④	gzip, deflate, br			
4			Connection (i)	keep-alive			
onitors			access-control-allow-headers	Content-Type,api_ke			
√_) istory			access-control-allow-method Key	GET,POST,DELETE,P Value	UT	Description	
			Body Cookies Headers (8) Test F			200 OK 480 ms 372	2 B Save Response 🗸
			Pretty Raw Preview V	isualize JSON V			<b>Q</b>
			1 5 2 "code": 200, 3 "type": "unknown", 4 "message": "3233" 5 }				I

## Store

ome Workspaces ~	Reports Explore	् Search Postman	Upgrade
My Workspace	New Import	$\leftarrow \text{ Over}  \textbf{POST F } \times  \textbf{GET h.} \bullet  \textbf{PUT h.} \bullet  \textbf{DEL h.} \bullet  \textbf{POST F} \bullet  \textbf{GET h.} \bullet \rightarrow + \bullet \bullet \bullet  \textbf{No Environment}$	~
□ + =	000	swagger / POST store order by ID	/ E
oo post POST APIs	pet by ID	POST v https://petstore.swagger.io/v2/store/order	end 🗸
GET GET p	et by ID TE pet by ID	Params Authorization Headers (10) Body  Pre-request Script Tests Settings	Cookies
onments PUT Edit p	et by ID	none form-data x-www-form-urlencoded raw binary GraphQL JSON v	Beautify
Servers     Servers     Servers     Servers		<pre>2</pre>	I
		Body Cookies Headers (8) Test Results	tesponse 🗸
		Pretty Raw Preview Visualize JSON ~	Q
		<pre>1 2 2 "id": 2, 3 "petId": 3232, 4 "quantity": 1, 5 "shipDate": "2021-03-24T13:19:38.177+0000", 6 "status": "placed", 7 "complete": true 8 2</pre>	T

Params Authorization	der by ID //petstore.swagger.io/v2/store/order	UT store order b • + •••• uur store order b • + •••• quest Script Tests Settings • binary • GraphQL JSON	No Environment	Upgrade V Send Cookies
POST ~ https:/ Params Authorization none form-data ( 1 {	//petstore.swagger.io/v2/store/order Headers (10) Body • Pre-req			Send v
Params Authorization <ul> <li>none</li> <li>form-data</li> </ul>	Headers (10) Body  Pre-req		~	
none form-data			×	Cookies
1 {	x-www-ionn-unencoded	Binary Graphiqe 330N	~	Beautify
2 ··"id": 5,				веациту
3 petId": 3233				
4 •• "quantity": 1 5 •• "shipDate": " 6 •• "status": "pl 7 •• "complete": t	2021-03-24T13:19:38.177Z", aced",			
8 }				
Body Cookies Headers (	8) Test Results	٢	200 OK 672 ms 436 B S	ave Response \vee
Pretty Raw Prev	iew Visualize JSON ~	<del></del>		Q
4 "quantity": 5 "shipDate": 6 "status":	1, "2021-03-24T13:19:38.177+0000 placed",	o",		I
	1 2 2 "id": 5, 3 "petId": 32 4 "quantity": 5 "shipDate": 6 "status": "	<pre>1 2 "id": 5, 3 "petId": 3233, 4 "quantity": 1, 5 "shipDate": "2021-03-24T13:19:38.177+0000 6 "status": "placed", 7 "complete": true</pre>	<pre>1 1 2 "id": 5, 3 "petId": 3233, 4 "quantity": 1, 5 "shipDate": "2021-03-24T13:19:38.177+0000", 6 "status": "placed",</pre>	<pre>1 2 "id": 5, 3 "petId": 3233, 4 "quantity": 1, 5 "shipDate": "2021-03-24T13:19:38.177+0000", 6 "status": "placed", 7 "complete": true</pre>

lome W	orkspaces ~ Reports Ex	xplore			Q Search	Postman		6	+ Invite	\$\$\$\$	<b>9</b>	Upgrade
My Worksp	New	Import	← Over	POST F	GET G X PUT	h. • DEL h.	• POST t •	Get h. ( $\rightarrow$	+ •••	No Environmen	t	~
ections	⊢	000	swagger / 9	GET store order I	by ID				1	Save 🗸 👓	•	/ 🗉
8	POST POST pet by ID		GET	✓ https://p	etstore.swagger.i	o/v2/store/order/	2				Se	nd 🗸
PIS	DEL DELETE pet by ID PUT Edit pet by ID		Params A		Headers (8) B	ody Pre-reque	est Script Tests	s Settings				Cookies
0	POST POST store order by ID		KEY			VALUE			DESCRI	IPTION	000	Bulk Edit
k Servers	GET GET store order by ID		Key			Value			Descrip	otion		
An Monitors												
onitors D			Body Cookie	es Headers (8)	Test Results				Д 200 ОК	< 702 ms 436 B	Save Re	
fonitors G History				es Headers (8) Raw Previe		JSON V	<del>4.</del>		⊕ 200 ОК	702 ms 436 B	Save Re	sponse ∨ I∎ Q

S My Works		$\leftarrow$ Over POST F GET G. PUT P. X DEL h. • POST F • GET h. • $\rightarrow$ + ···· No Environment ····
> IVIY WORK	space New Import	$\leftarrow \text{ Over}  \text{POST F}  \text{GET G}, \qquad \text{PUT P}, \times  \text{DEL h}  \bullet  \text{POST F}  \bullet  \text{GET h. } \bullet \rightarrow +  \circ \circ \circ  \text{No Environment}  \sim  \bullet  \bullet  \bullet  \bullet  \bullet  \bullet  \bullet  \bullet  \bullet$
ollections	+ = 000	swagger / PUT store order by ID
oo APIs	POST POST pet by ID	PUT <ul> <li>https://petstore.swagger.io/v2/store/order</li> <li>Send</li> <li></li> </ul>
0	GET GET pet by ID	Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies
rironments	PUT Edit pet by ID	none form-data x-www-form-urlencoded raw binary GraphQL JSON v
ck Servers	POST POST store order by ID GET GET store order by ID	1 2 "id": 2, 3 "petId": 3233,
4	PUT PUT store order by ID	<pre>4 "quantity": 1, 5 "shipDate": "2021-03-24T13:19:38.177Z",</pre>
Aonitors		6 •• "status": "placed",
1) History		7 ··*complete": true 8
		Body Cookies Headers (8) Test Results
		Pretty Raw Preview Visualize XML V
		<pre>1 <?xml version="1.0" encoding="UTF-8" standalone="yes"?> 2 <apiresponse> 3 <type>unknown</type> 4 </apiresponse></pre>

~ ~			Web Debugger			-		-											-	_ 0 _ X
<u>F</u> ile <u>E</u> o	dit <u>R</u> ule	es <u>T</u> ools	<u>V</u> iew <u>H</u> elp		-															
#	Result	Protocol	Host URL	^	Get Started	🖄 Statistics	s 🔍 Inspec	tors 🖌 Aut	oResponder	📝 Comp	oser FO	Fiddler Or	1	a 🔓 Fid	dlerScript	🗏 Log	🗹 Filter	s 🚍 Tir	meline	
<b>6</b>	200	HTTPS	beacons.gcp.gvt2 /dom	na	Headers	TextView	SyntaxView	WebForms	HexView	Auth	Cookies	Raw	JSON	XML						
27	200	HTTPS	beacons.gcp.gvt2 /dom	na	PUT http	s://petsto	re.swagger	.io/v2/sto	re/order	HTTP/1.1										
ê	200	HTTP	Tunnel to pets	stc				: Content- : GET,POST			orizatio	on								
20 🔁	200	HTTPS	petstore.swagger.io /v2/	pe	Content-	Type: appl	ication/js	on	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											
🖺 17	200	HTTP	Tunnel to pets	stc	User-Age Accept:	nt: Postma */*	nRuntime/7	.26.10												
🗎 20	200	HTTP	Tunnel to pets	stc	Postman-	Token: 334		l-4337-a4da	-93f2e38c	278d										
<b>A</b> 21	405	HTTPS	petstore.swagger.io /v2/	ſρε		tstore.swa ncoding: g		ate, br												
🖺 50	200	HTTP	Tunnel to pets	stc	Connecti	on: keep-a	live													
2 51	200	HTTPS	petstore.swagger.io /v2/	pe	Content-	Length: 13	8													
🖺 94	200	HTTP	Tunnel to pets	stc	{ "id":	-														
2 96	200	HTTPS	petstore.swagger.io /v2/	pe		3233,														
🖺 158	200	HTTP	Tunnel to pets	stc	"quant	ity": 1,	1-02-24712	. 10. 20 177	7"											
js} 159	200	HTTPS	petstore.swagger.io /v2/	(pe	"statu	s": "place	d",	:19:38.177	2,											
🖺 199	200	HTTP	Tunnel to pets	stc	Compl	ete": true														
<b>A</b> 200	405	HTTPS	petstore.swagger.io /v2/	pε	1															
🖺 215	200	HTTP	Tunnel to pets	stc																
js}216	200	HTTPS	petstore.swagger.io /v2/	(pe																
🖺 223	200	HTTP	Tunnel to pets	stc																
js} 224	200	HTTPS	petstore.swagger.io /v2/	(pe																
🖺 261	200	HTTP	Tunnel to pets	stc																
<b>A</b> 262	405	HTTPS	petstore.swagger.io /v2/	pe 🗉																
🖺 264	200	HTTP	Tunnel to pets	stc																
(js) 265	200	HTTPS	petstore.swagger.io /v2/	pe																
🖺 294	200	HTTP	Tunnel to pets	stc	Find (pre	ess Ctrl+Enter	to highlight all)	)												View in Notepa
<b>A</b> 295	404	HTTPS	petstore.swagger.io /v2/	(pe																
<u> </u> 298	200	HTTP	Tunnel to pets	stc						Re	sponsebo	dy is enco	ded. Click t	o decode.						
(js) (m) 299	200	HTTPS	petstore.swagger.io /v2/	pe	Transformer	r Headers	TextView	SyntaxView	ImageVie	ew Hex\	iew We	bView	Auth	Caching	Cookies	Raw	JSON	XML		
🖺 306	200	HTTP	Tunnel to pets	stc	HTTP/1.1	405 Metho	d Not Allo	wed			1			- 1						
2) 307	200	HTTPS	petstore.swagger.io /v2/	(pe	Date: We	d, 24 Mar	2021 13:29	:00 GMT												
🖺 335	200	HTTP	Tunnel to pets	sto		Type: appl -Encoding:		11												
337 🔁	200	HTTPS	petstore.swagger.io /v2/	st	Connecti	on: keep-a	live													
🖺 400	200	HTTP	Tunnel to pets	stc	Access-C Access-C	ontrol-All ontrol-All	ow-Origin: ow-Methods	GET, POS	T. DELETE	. PUT										
<b>a</b> 401	200	HTTPS	petstore.swagger.io /v2/	st	Access-C	ontrol-All	ow-Headers	: Content-			thorizat	tion								
🛱 <b>4</b> 21	200	HTTP	Tunnel to pets	stc	Server:	Jetty(9.2.	9.02015022	(4)												
(js) m} 422	200	HTTPS	petstore.swagger.io /v2/	st	66	naion lla o			tandel area							Decret				
<u> </u>	200	HTTP	Tunnel to pets	stc	0	r510n= 1.0	encoaring	)="UTF-8" s	canda ione	e yes ??	kapikesp	Jonse> <t< td=""><td>ype&gt;unki</td><td>iown<td>pe&gt;<td>Respons</td><td>sex</td><td></td><td></td><td></td></td></td></t<>	ype>unki	iown <td>pe&gt;<td>Respons</td><td>sex</td><td></td><td></td><td></td></td>	pe> <td>Respons</td> <td>sex</td> <td></td> <td></td> <td></td>	Respons	sex			
428	405	HTTPS	petstore.swagger.io /v2/	/st																
•			)	•	Find (or	ess Ctrl+Enter	to bigblight all	)												Viewin Notore
QuickExe	ec] ALT+C	2 > type HE	LP to learn more		L'ind (pre	ess currenter	to nigniight all,	/												View in Notepad
📕 Captu	uring		sses 1 / 42	http:	s://petstore.s	wagger.io/v2/s	store/order													

PUT method is not allowed in store

ome	Workspaces V Reports E	xplore			Q Sear	ch Postman			2	ň	Invite	9° 0	¢ <	😏 Upgrad	e
My Work	New New	Import	← Over	POST F	GET G.	PUT P. DEL	D. X	POST F	GET h.	$\rightarrow$	+ •••	No En	nvironment	E - 3	~
lections	+ = v swagger	000	swagger /	DELETE store	order by ID							🖹 Save	V 000	/ E	
8	POST POST pet by ID		DELETE	<ul> <li>https://www.second.com/</li> </ul>	//petstore.swagg	er.io/v2/store/or	der/2							Send ~	
APIs	GET GET pet by ID		Params A	uthorization	Headers (8)	Body Pre-	equest S	cript Te	sts Setti	ngs				Cookie	IS
므. onments	PUT Edit pet by ID		User-/	Agent (1)		Postr	nanRuntin	me/7.26.10							
_	POST POST store order by ID		Accep	ot (i)		*/*									
Servers	GET GET store order by ID		Accep	et-Encoding (3	)	gzip,	deflate, b	or							
44	PUT PUT store order by ID		Conne	ection (i)		keep	alive								
nitors	DELETE store order by ID		acces	s-control-allov	v-headers	Conte	ent-Type,	api_key,Aut	horization						
9			acces	s-control-allov	v-methods	GET,	POST,DEL	ETE,PUT							
story			Key			Value					Descript	tion			1
			Body Cookie	es Headers	(8) Test Result	5					200 0	< 669 ms	369 B	Save Response	9
			Pretty	Raw Prev	view Visualiz	e JSON	- 12							<b>a</b>	ε
			1 4 2 3 4 5	"code": 200 "type": "ur "message":	nknown",										I

## Users

My Worksp	New Import	$\leftarrow$ T G, PUT P, DEL D, POST F X GET G, PUT P, DEL D, $\rightarrow$ + $\circ\circ\circ$ No Environment	~
llections	+ = 000		=
00 APIs	<ul> <li>swagger</li> <li>POST POST pet by ID</li> </ul>	POST ~ https://petstore.swagger.io/v2/user/createWithArray Send	~
	GET GET pet by ID DEL DELETE pet by ID	Params Authorization Headers (10) Body  Pre-request Script Tests Settings	ookies
ronments	PUT Edit pet by ID	none     form-data     x-www-form-urlencoded     raw     binary     GraphQL     JSON     Son	autify
k Servers	POST POST store order by ID GET GET store order by ID	10"userStatus": 1 11}, 12{	T
M onitors	PUT PUT store order by ID DEL DELETE store order by ID	13       ···· "id": ·7,         14       ··· "username": "Strongman",         15       ··· "firstName": "Thor",	
() istory	POST POST user with array GET GET user by username DEL DELETE user by username PUT PUT user	<pre>16</pre>	
		Body Cookies Headers (8) Test Results	ise v
		Pretty Raw Preview Visualize	Q
		["code":200,"type":"unknown","message":"ok"]	T

🗉 🔍 Find and Replace 🕟 Console

😌 Bootcamp 🗈 Runner 🗓 Trash 💀 📀

lome	Workspaces V Reports	Explore			~	Search Pos				-0 14	Invite	\$ \$ \$	9	Upgrade
ද My Work	kspace New	w Import	← <b>T</b> G.	PUT P.	DEL D.	POST F	GET G $\times$	PUT P.	DEL D.	$\rightarrow$	+ •••	No Environme	nt	~
	+ = v swagger	000	swagger	/ GET user	by username						[	Save 🗸	•••	/ 🗉
80	POST POST pet by ID		GET	~ hi	ttps://petstore.s	wagger.io/v	2/user/Strong	man					Se	and 🗸
APIs	CET GET pet by ID DEL DELETE pet by ID PUT Edit pet by ID		Params Query Par	Authorizatio ams	on Headers	(8) Body	Pre-requ	est Script	Tests S	ettings				Cookies
_	POST POST store order by ID		KEY				VALUE				DESCRI	PTION	000	Bulk Edit
Servers	GET GET store order by ID		Key				Value				Descrip	tion		
M onitors	PUT PUT store order by ID DEL DELETE store order by ID POST POST user with array													
1) Istory	GET GET user by username		Body Coo	kies Head	lers <mark>(8)</mark> Test F	tesults					200 OF	( 591 ms 471 B	Save Re	esponse 🗸
,	DEL DELETE user by username	9	Pretty	Raw	Preview V	isualize	JSON V	==						Q
	PUT PUT user		1 4 2 3 4 5 6 7 8 9 10 H	"firstN "lastNa "email" "passwo "phone"	, ime": "Strong ime": "Thor" me": "OdinSo : "thor@god. ord": "man", : "789789787 atus": 0	, n", nv",								I

My Works								
My works	pace New Import	$\leftarrow T G. \qquad PUT P. \qquad DEL D. \qquad POST F \qquad GET G. \qquad PUT P. \bullet \qquad DEL D. \qquad \rightarrow + \circ \circ \circ \qquad No Environment \qquad \checkmark$						
llections	+ = ooo	swagger / PUT user V 000						
oo APIs	POST POST pet by ID	PUT <ul> <li>https://petstore.swagger.io/v2/user/Trickster</li> <li>Send</li> <li></li> <li></li></ul>						
	GET GET pet by ID DEL DELETE pet by ID	Params Authorization Headers (10) Body  Pre-request Script Tests Settings Cookies						
onments	a none a form data a v youry form urlangeded a row a biggry a CraphOL ICON of							
k Servers	POST POST store order by ID GET GET store order by ID	2 - "id": 2, 3 - "username": "Loki",						
<u>_</u>	PUT PUT store order by ID	4 ·· "firstName": "Loki", 5 ·· "lastName": "OdinSon", 6 ·· "email": "Loki@valhala.god",						
onitors	DEL DELETE store order by ID POST POST user with array	7 ·· "password": · "111", 8 ·· "phone": · "121212",						
listory	GET GET user by username	9 ·· "userStatus": 0 10 }						
	DEL DELETE user by username	Body Cookies Headers (8) Test Results						
		Pretty Raw Preview Visualize JSON ~ =						
		1 2 2 "code": 200, 3 "type": "unknown", 4 "message": "2" 5 3						

S My Works	space New Import	← T G. PUT P.	DEL D. POST F	GET G. PUT P.	DEL D. ● →	+ 000 No Environment	· · ·
Collections	+ =					🖺 Save 🗸 👓	
oo APIs	<ul> <li>swagger</li> <li>POST POST pet by ID</li> <li>GET GET pet by ID</li> </ul>	DELETE ~ https://petstore.swagger.io/v2/user/Loki					
vironments	DEL DELETE pet by ID	Params Authorizatio	on Headers (8) Bod	y Pre-request Script	Tests Settings		Cookies
<b></b>	POST POST store order by ID	KEY		VALUE		DESCRIPTION	••• Bulk Edit
ئىسا ck Servers	GET GET store order by ID	Кеу		Value		Description	
Aonitors Aonitors History	PUT PUT store order by ID DEL DELETE store order by ID POST POST user with array GET GET user by username						
	DEL DELETE user by username	Body Cookies Head	ers (8) Test Results		(	200 OK 714 ms 372 B	Save Response 🗸
	PUT PUT user	_	Preview Visualize	JSON V			<b>a</b> Q
			200, "unknown", e": "Loki"				I